



Butcher Block Table/Desk with Side Shelf Storage

- 1-3/4" butcher block top
- Overall height: 32" - 35"
- Two flush side shelves
- Shelves measure 23" x 21-1/2"
- Shelf clearance: 9-3/4"
- Leg levelers

Size D x W	Model No.	Wt.
24 x 48	WT-2S-2448-LL	125



Model
WT-2S-2448-LL



Stand Up Workstation with Butcher Block Top

- 1-3/4" butcher block top
- Work surface height: 42"
- Heavy-duty leg levelers provide up to additional 3" height
- Fully assembled and ready for immediate use
- Durable powder coated finish

Overall W x D	Model No.	Wt.
24 x 36	WT1S-2436-LL	77
24 x 48	WT1S-2448-LL	101



Model
WT1S-2448-LL

Counter Height Work Table with Butcher Block Top

- 1-3/4" butcher block top
- Work surface height: 42"
- Heavy-duty leg levelers provide up to additional 3" height
- Fully assembled and ready for immediate use
- Durable powder coated finish

Overall W x D	Model No.	Wt.
24 x 48	WT1-2448-LL-42	105
30 x 48	WT1-3048-LL-42	121
30 x 60	WT1-3060-LL-42	137
30 x 72	WT1-3072-LL-42	160
36 x 72	WT1-3672-LL-42	184



Model
WT1-2448-LL-42



Model
WT-2448-LL

Butcher Block Top Tables

- 1-3/4" butcher block top
- Fully assembled and ready for immediate use

Leg Leveler Models

- 2000 lbs. capacity
- Overall height: 32" - 35"

Top Size D x W	OPEN BASE		LOWER SHELF	
	Model No.	Wt.	Model No.	Wt.
24 x 24	WT-2424-LL	59	WTS-2424-LL	69
24 x 36	WT-2436-LL	78	WTS-2436-LL	95
24 x 48	WT-2448-LL	97	WTS-2448-LL	121
30 x 48	WT-3048-LL	114	WTS-3048-LL	146
30 x 60	WT-3060-LL	134	WTS-3060-LL	177
30 x 72	WT-3072-LL	154	WTS-3072-LL	208
36 x 72	WT-3672-LL	179	WTS-3672-LL	243

Add for Locking Storage Drawer Options (Right Side Mount)

-DR Single **-2DR** Double (Stacked)

Drawer measures 13"W x 17"D x 4-1/2"H



Model
WTS-2448-3R-2DR

Swivel Caster Models

- 1000 lbs. capacity
- Overall height: 35"
- 3" x 1-1/4" hard rubber casters with brakes

Top Size D x W	OPEN BASE		LOWER SHELF	
	Model No.	Wt.	Model No.	Wt.
24 x 24	WT-2424-3R	63	WTS-2424-3R	73
24 x 36	WT-2436-3R	82	WTS-2436-3R	99
24 x 48	WT-2448-3R	101	WTS-2448-3R	125
30 x 48	WT-3048-3R	118	WTS-3048-3R	150
30 x 60	WT-3060-3R	138	WTS-3060-3R	181
30 x 72	WT-3072-3R	160	WTS-3072-3R	212
36 x 72	WT-3672-3R	183	WTS-3672-3R	247

Add for Locking Storage Drawer Options (Right Side Mount)

-DR Single **-2DR** Double (Stacked)

Drawer measures 13"W x 17"D x 4-1/2"H



Model
IPJ-2436-6PYBK

Heavy-Duty Butcher Block Top Mobile Table

3000 lbs. Capacity

- 1-3/4" butcher block top
- Fully assembled and ready for immediate use
- 12 gauge lower shelf
- 6" non-marking polyurethane wheels
- Choice of casters:
 - Four swivel with wheel brakes
 - Two rigid and two swivel with floor lock

TOP Size D x W x H	2 Rigid, 2 Swivel with Floor Lock		4 Swivel with Wheel Brakes	
	Model No.	Wt.	Model No.	Wt.
24 x 36 x 34	IPJ2436-2R6PYFL	129	IPJ-2436-6PYBK	126
24 x 48 x 34	IPJ2448-2R6PYFL	155	IPJ-2448-6PYBK	152
30 x 48 x 34	IPJ3048-2R6PYFL	175	IPJ-3048-6PYBK	172
30 x 60 x 34	IPJ3060-2R6PYFL	214	IPJ-3060-6PYBK	211
30 x 72 x 34	IPJ3072-2R6PYFL	246	IPJ-3072-6PYBK	243
36 x 72 x 34	IPJ3672-2R6PYFL	284	IPJ-3672-6PYBK	281



Welded Steel Workbenches with Butcher Block Tops

3000 lbs. Capacity

- 1-3/4" butcher block top
- Replaceable top is bolted to all-welded frame
- 12 gauge steel half depth lower shelf
- Lower shelf features 3" high lip at rear
- Available in fixed or adjustable heights
- Optional factory-installed storage drawer

Fixed Height Models

- Overall height: 37-3/4"
- 1-1/2" x 1-1/2" x 3/16" angle legs and brace
- Footpads with 5/8" anchor hole
- Shelf clearance: 20-3/4"

Size D x W	WITHOUT DRAWER		WITH DRAWER	
	Model No.	Wt.	Model No.	Wt.
24 x 48	WSJ2-2448-36	125	WSJ2-2448-36-DR	148
30 x 48	WSJ2-3048-36	141	WSJ2-3048-36-DR	164
30 x 60	WSJ2-3060-36	169	WSJ2-3060-36-DR	194
30 x 72	WSJ2-3072-36	202	WSJ2-3072-36-DR	228
36 x 72	WSJ2-3672-36	223	WSJ2-3672-36-DR	250

With Added Pegboard or Louvered Panel

Size D x W	PEGBOARD PANEL		LOUVERED PANEL	
	Model No.	Wt.	Model No.	Wt.
24 x 48	WSJ2-2448-36-PB	150	WSJ2-2448-36-LP	150
30 x 48	WSJ2-3048-36-PB	166	WSJ2-3048-36-LP	166
30 x 60	WSJ2-3060-36-PB	199	WSJ2-3060-36-LP	199
30 x 72	WSJ2-3072-36-PB	239	WSJ2-3072-36-LP	239
36 x 72	WSJ2-3672-36-PB	260	WSJ2-3672-36-LP	260



Model
WSJ2-3060-36



Model
WSJ2-2448-36-PB

Welded Steel Workbench with Hardboard Top

up to 5000 lbs. Capacity

- 1/4" hardboard over double reinforced 12 gauge steel top
- Corner gussets for additional reinforcement
- All-welded construction
- Available with half depth lower shelf or open base

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
Fixed Height Models - 36" Overall Height					
24 x 48	5000	WSH2-2448-36	116	WSH1-2448-36	94
30 x 48	5000	WSH2-3048-36	132	WSH1-3048-36	106
36 x 60	4500	WSH2-3660-36	176	WSH1-3660-36	137
36 x 72	4000	WSH2-3672-36	216	WSH1-3672-36	172
36 x 84	3000	WSH2-3684-36	244	WSH1-3684-36	197
Adjustable Height Models - 27" - 41" High in 2" Increments					
24 x 48	5000	WSH2-2448-AH	118	WSH1-2448-AH	96
30 x 48	5000	WSH2-3048-AH	134	WSH1-3048-AH	108
36 x 60	4500	WSH2-3660-AH	188	WSH1-3660-AH	139
36 x 72	4000	WSH2-3672-AH	218	WSH1-3672-AH	174
36 x 84	3000	WSH2-3684-AH	246	WSH1-3684-AH	199



Model
WSH2-2448-AH



Model
WSH1-2448-36



Model
WSS2-3048-36

Stainless Steel Top Welded Workbenches

up to 5000 lbs. Capacity

- 16 gauge, type 304 stainless steel with a #4 finish over 12 gauge steel top
- Corner gussets for additional reinforcement
- All-welded construction

Size D x W	Cap.	Model No.	Wt.
Fixed Height Models - 36" Overall Height			
30 x 48	5000	WSS2-3048-36	153
30 x 60	4500	WSS2-3060-36	188
30 x 72	4000	WSS2-3072-36	229
Adjustable Height Models - 27" - 41" High in 2" Increments			
30 x 48	5000	WSS2-3048-AH	155
30 x 60	4500	WSS2-3060-AH	190
30 x 72	4000	WSS2-3072-AH	231



Model
WGE-2451-DP

Parts Washing Table

2000 lbs. Capacity

- Dual-sided bar grating
- 4-1/4" deep catch pan
- 3" deep retaining lips on back and sides
- Drain plug for easy cleanup
- Work surface height: 34"
- Powder coated gray finish
- All-welded construction

Overall Dimensions W x D x H	Model No.	Wt.
24" x 51" x 37"	WGE-2451-DP	141



Model
WG-2451-HD

Welder's Table

2000 lbs. Capacity

- Dual-sided bar grating
- 4-1/4" deep catch pan
- Available with HD drawer measuring 26"W x 20"D x 6"H
- Ships fully assembled, ready for immediate use
- Powder coated gray finish
- All-welded construction

Size D x W x H	With Drawer Model No.	Wt.	Without Drawer Model No.	Wt.
24 x 51 x 34	WG-2451-HD	178	WG-2451	126



Welded Workbenches with Backstops

up to 3000 lbs. Capacity

- Double reinforced, 12 gauge steel top
- 3" high backstops on top and lower shelf
- Half-depth 12 gauge lower shelf

Stationary Models

- 3000 lbs. capacity
- Adjustable height: 27" to 41" in 2" increments
- Fixed height: 36" - footpads with 5/8" lag holes

Size D x W	ADJUSTABLE HEIGHT		FIXED HEIGHT	
	Model No.	Wt.	Model No.	Wt.
28 x 48	WA-2848	119	WB-2848	106
28 x 60	WA-2860	138	WB-2860	126
28 x 72	WA-2872	158	WB-2872	155

Also available with locking drawer, add: **-DR**

Mobile Models

- 1200 lbs. capacity
- 5" polyurethane casters with total lock brakes
- Work surface height: 36"

Size D x W	NO DRAWER		WITH DRAWER	
	Model No.	Wt.	Model No.	Wt.
28 x 48	WM-2848	138	WM-2848-DR	161
28 x 60	WM-2860	157	WM-2860-DR	180
28 x 72	WM-2872	176	WM-2860-DR	199

Factory Installed Options (add code to Workbench Model)

- **E End Stops:** 1-1/2" high formed 12 gauge.
- **PB Pegboard:** 24" high 16 gauge pegboard panel.
- **LP Louvered Panel:** 24" high 16 gauge panel.
- **DR Locking Drawer:** Measures 13"W x 17"L x 4-1/2" H inside.



Model
WA-2848-DR



Model
WM-2848-E-PB

Easy-Lift Adjustable Height Workbench

1000 lbs. Capacity

- 12 gauge steel top
- 3" high backstop on lower shelf
- Half-depth, 12 gauge lower shelf
- Height adjusts from 29" - 41" for steel top, and 31" - 43" for butcher block top

Steel Top

- 12 gauge steel top

Size D x W	Model No.	Wt.
24 x 48	WZ-2448	124
24 x 60	WZ-2460	146

Butcher Block Top

- 1-3/4" thick butcher block top

Size D x W	Model No.	Wt.
24 x 48	WZJ-2448	148



Model
WZ-2448



Model
WZJ-2448





Model
WST2-3060-AH



Model
WST1-2448-AH-LP



Model
WST1-2448-36



Model
WST2-2448-36-PBS

Welded Steel Workbenches

up to 5,000 lbs. Capacity

- Double reinforced, 12 gauge steel top
- Corner gussets for additional reinforcement
- All-welded construction
- Available with half depth lower shelf or open base
- Also available with 16 gauge pegboard or louvered panel

Adjustable Height Workbenches - Legs are adjustable from 27" to 41" high on 2" centers.

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-AH	111	WST1-2448-AH	89
24 x 60	4500	WST2-2460-AH	138	WST1-2460-AH	111
30 x 48	5000	WST2-3048-AH	126	WST1-3048-AH	100
30 x 60	4500	WST2-3060-AH	155	WST1-3060-AH	123
30 x 72	4000	WST2-3072-AH	188	WST1-3072-AH	144
36 x 60	4500	WST2-3660-AH	176	WST1-3660-AH	138
36 x 72	4000	WST2-3672-AH	203	WST1-3672-AH	159
36 x 84	3000	WST2-3684-AH	225	WST1-3684-AH	179

With Added Pegboard or Louvered Panel

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-AH-PB	136	WST1-2448-AH-PB	114
24 x 60	4500	WST2-2460-AH-PB	168	WST1-2460-AH-PB	141
30 x 48	5000	WST2-3048-AH-PB	161	WST1-3048-AH-PB	125
30 x 60	4500	WST2-3060-AH-PB	185	WST1-3060-AH-PB	153
30 x 72	4000	WST2-3072-AH-PB	225	WST1-3072-AH-PB	181
36 x 60	4500	WST2-3660-AH-PB	206	WST1-3660-AH-PB	168
36 x 72	4000	WST2-3672-AH-PB	240	WST1-3672-AH-PB	196

Also available with Louvered Panel, replace **-PB** with **-LP**

Also available with Square Hole Pegboard Panel, replace **-PB** with **-PBS**

Fixed Height Workbenches - 36" overall height. Legs and lower braces are 1-1/2" x 1-1/2" x 3/16" thick angle iron. Legs have footpads with 5/8" hole for mounting to the floor.

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-36	109	WST1-2448-36	87
24 x 60	4500	WST2-2460-36	136	WST1-2460-36	109
30 x 48	5000	WST2-3048-36	124	WST1-3048-36	98
30 x 60	4500	WST2-3060-36	153	WST1-3060-36	121
30 x 72	4000	WST2-3072-36	186	WST1-3072-36	142
36 x 60	4500	WST2-3660-36	174	WST1-3660-36	136
36 x 72	4000	WST2-3672-36	201	WST1-3672-36	157
36 x 84	3000	WST2-3684-36	224	WST1-3684-36	177

With Added Pegboard or Louvered Panel

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-36-PB	134	WST1-2448-36-PB	112
24 x 60	4500	WST2-2460-36-PB	166	WST1-2460-36-PB	139
30 x 48	5000	WST2-3048-36-PB	159	WST1-3048-36-PB	123
30 x 60	4500	WST2-3060-36-PB	183	WST1-3060-36-PB	151
30 x 72	4000	WST2-3072-36-PB	223	WST1-3072-36-PB	179
36 x 60	4500	WST2-3660-36-PB	204	WST1-3660-36-PB	166
36 x 72	4000	WST2-3672-36-PB	238	WST1-3672-36-PB	194

Also available with Louvered Panel, replace **-PB** with **-LP**

Also available with Square Hole Pegboard Panel, replace **-PB** with **-PBS**



Welded Steel Workbenches with Back and End Stops

up to 5000 lbs. Capacity

- Double reinforced, 12 gauge steel top
- Corner gussets for additional reinforcement
- 1-1/2" raised edge on back and sides
- Also available with 16 gauge pegboard or louvered panel
- All-welded construction

Size D x W	Cap.	FIXED HEIGHT 36" Top Height		ADJUSTABLE HEIGHT 27"-41" High in 2" Increments	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WSL2-2448-36	114	WSL2-2448-AH	116
24 x 60	4500	WSL2-2460-36	146	WSL2-2460-AH	148
30 x 48	5000	WSL2-3048-36	134	WSL2-3048-AH	136
30 x 60	4500	WSL2-3060-36	164	WSL2-3060-AH	166
30 x 72	4000	WSL2-3072-36	198	WSL2-3072-AH	200
36 x 60	4500	WSL2-3660-36	187	WSL2-3660-AH	189
36 x 72	4000	WSL2-3672-36	215	WSL2-3672-AH	217
36 x 84	3000	WSL2-3684-36	239	WSL2-3684-AH	240

Also available with Pegboard or Louvered Panels:
add **-PB** for pegboard, and **-LP** for Louvered



Model
WSL2-2448-36



Model
WSL2-2448-36-PB

Mobile Workbench with Back and End Stops

3600 lbs. Capacity

- Reinforced, 12 gauge steel top
- 1-1/2" raised edge on back and sides
- Two rigid and two swivel casters
- 6" polyurethane wheels
- Floor lock to stop unwanted movement
- Work surface height: 36"

Size D x W	Model No.	Wt.
24 x 48	WSL2-2448-6PYFL	158
24 x 60	WSL2-2460-6PYFL	190
30 x 48	WSL2-3048-6PYFL	182
30 x 60	WSL2-3060-6PYFL	212
30 x 72	WSL2-3072-6PYFL	246
36 x 60	WSL2-3660-6PYFL	240
36 x 72	WSL2-3672-6PYFL	268



Model
WSL2-2448-6PYFL

Welded Workbench with Double Lower Shelf Storage

- Double reinforced, 12 gauge steel top
- Corner gussets for additional reinforcement
- Also available with 16 gauge pegboard or louvered panel
- Overall height: 36"
- Shelf clearance: 12-1/2"

Size D x W	Cap.	Model No.	Wt.
24 x 48	5000	WST3-2448-36	131
24 x 60	4500	WST3-2460-36	163
30 x 48	5000	WST3-3048-36	150
30 x 60	4500	WST3-3060-36	185
30 x 72	4000	WST3-3072-36	230
36 x 60	4500	WST3-3660-36	212
36 x 72	4000	WST3-3672-36	245
36 x 84	3000	WST3-3684-36	271

Also available with Pegboard or Louvered Panels:
add **-PB** for pegboard, and **-LP** for Louvered



Model
WST3-2448-36



**Model
MT1-2436-30**

Steel-Top Machine Tables

2000 lbs. Capacity

- 12 gauge steel top
- 1-1/2" x 1-1/2" x 3/16" angle iron legs and braces
- All-welded construction

Top D x W	Height	Machine Table		Machine Table with Drawer	
		Model No.	Wt.	Model No.	Wt.
18 x 24	18	MT1-1824-18	31	-	-
	24	MT1-1824-24	33	-	-
	30	MT1-1824-30	35	-	-
	36	MT1-1824-36	37	-	-
	42	MT1-1824-42	44	-	-
24 x 36	18	MT1-2436-18	48	MT1-2436-18-ED	73
	24	MT1-2436-24	50	MT1-2436-24-ED	75
	30	MT1-2436-30	52	MT1-2436-30-ED	77
	36	MT1-2436-36	55	MT1-2436-36-ED	80
	42	MT1-2436-42	58	MT1-2436-42-ED	83
24 x 48	18	MT1-2448-18	75	MT1-2448-18-ED	101
	24	MT1-2448-24	78	MT1-2448-24-ED	104
	30	MT1-2448-30	82	MT1-2448-30-ED	108
	36	MT1-2448-36	86	MT1-2448-36-ED	112
	42	MT1-2448-42	89	MT1-2448-42-ED	115



MOBILE VERSION AVAILABLE

Swivel casters with wheel brakes, 3" rubber wheels (9 lbs.), add: **-3R** to Model No.

Note: Models with casters are same overall height as those without casters on Single Shelf Models. Capacity 1000 lbs.



**Model
MT2436-2**

Multi-Shelf Machine Tables

2000 lbs. Capacity

- 12 gauge steel top & shelves
- 1-1/2" retaining lips on lower shelves
- 3/16" thick angle iron legs
- 2-1/2" footpads with 5/8" lag holes
- Overall height: 32-1/2"
- All-welded construction

Size D x W x H	2 Shelves 22" clearance		3 Shelves 10-1/4" clearance	
	Model No.	Wt.	Model No.	Wt.
18 x 24 x 32-1/2	MT1824-2	53	MT1824-3	70
18 x 32 x 32-1/2	MT1832-2	60	MT1832-3	81
24 x 36 x 32-1/2	MT2436-2	80	MT2436-3	111
24 x 48 x 32-1/2	MT2448-2	100	MT2448-3	140
24 x 60 x 32-1/2	MT2460-2	131	MT2460-3	183
30 x 48 x 32-1/2	MT3048-2	130	MT3048-3	180

Accessory Drawer - 13"W x 15"D x 5"H, add **-ED** to Model No.
(not available on 18" deep models)

OPTIONS AVAILABLE

Swivel casters with wheel brakes, 3" rubber wheels (9 lbs.), add: **-3R** to Model No. (Add 4" to overall height on Multi-Shelf models.)
1000 lbs. Capacity



**Model
MT1824-2-3R**

Adjustable Height Leg Levelers - Adjusts standard table height from +1" to +4", add **-LL** to Model No.
2000 lbs. Capacity



**Model
MT2436-3-LL**



Heavy-Duty Machine Tables

10,000 lbs. Capacity

- 3/16" thick (7 gauge) steel top
- 2" x 2" x 3/16" angle iron Legs
- 2-1/2" footpads with 5/8" lag holes
- Available with lower shelf or open base

Top D x W	Height	OPEN BASE		LOWER SHELF	
		Model No.	Wt.	Model No.	Wt.
16 x 30	24	MTH1-1630-24	96	MTH2-1630-24	113
	30	MTH1-1630-30	103	MTH2-1630-30	120
	36	MTH1-1630-36	109	MTH2-1630-36	127
22 x 30	24	MTH1-2230-24	102	MTH2-2230-24	127
	30	MTH1-2230-30	108	MTH2-2230-30	134
	36	MTH1-2230-36	114	MTH2-2230-36	141
28 x 30	24	MTH1-2830-24	116	MTH2-2830-24	149
	30	MTH1-2830-30	122	MTH2-2830-30	156
	36	MTH1-2830-36	128	MTH2-2830-36	163
30 x 36	24	MTH1-3036-24	134	MTH2-3036-24	178
	30	MTH1-3036-30	140	MTH2-3036-30	185
	36	MTH1-3036-36	147	MTH2-3036-36	192
30 x 48	24	MTH1-3048-24	164	MTH2-3048-24	225
	30	MTH1-3048-30	170	MTH2-3048-30	232
	36	MTH1-3048-36	179	MTH2-3048-36	239
30 x 60	24	MTH1-3060-24	191	MTH2-3060-24	268
	30	MTH1-3060-30	197	MTH2-3060-30	275
	36	MTH1-3060-36	203	MTH2-3060-36	282



Model
MTH1-2830-30



Model
MTH2-2830-30

7 gauge Mobile Machine Table

3600 lbs. Capacity

- 3/16" thick (7 gauge) steel top
- 2" x 2" x 3/16" angle iron legs
- Four swivel casters
- 6" x 2" phenolic wheels with brakes

Top D x W	Height	Model No.	Wt.
22 x 30	30	MTH2230-6PHBK30	133
	36	MTH2230-6PHBK36	139
28 x 30	30	MTH2830-6PHBK30	150
	36	MTH2830-6PHBK36	156
30 x 36	30	MTH3036-6PHBK30	168
	36	MTH3036-6PHBK36	174
30 x 48	30	MTH3048-6PHBK30	197
	36	MTH3048-6PHBK36	203



Model
MTH2830-6PHBK30

Adjustable Height Heavy-Duty Machine Table

up to 10,000 lbs. Capacity

- 3/16" thick (7 gauge) steel top
- 2" x 2" x 3/16" angle iron legs
- Overall height: adjustable to 30" - 37" high in 1" increments
- Available in a mobile or stationary version
 - Mobile - 3,600 lbs. capacity
 - Stationary - 10,000 lbs. capacity

Size	Stationary - 10,000 lbs. Capacity		Mobile - 3,600 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.
16 x 30	MTH1-1630-AH	115	-	-
22 x 30	MTH1-2230-AH	124	MTH22306PHBK-AH	165
28 x 30	MTH1-2830-AH	141	MTH28306PHBK-AH	182
30 x 36	MTH1-3036-AH	159	MTH30366PHBK-AH	200
30 x 48	MTH1-3048-AH	188	MTH30486PHBK-AH	229
30 x 60	MTH1-3060-AH	212	-	-



Model
MTH28306PHBK-AH





Model
WF-3672-AH

Folding Leg Welded Workbenches

3000 lbs. Capacity

- Hinged folding legs are welded to top
- Legs adjust in 2" increments

Steel Top

- Double reinforced, 12 gauge steel top
- Top height: 28" - 42"

D x W	Model No.	Wt.
30 x 72	WF-3072-AH	139
36 x 72	WF-3672-AH	152
36 x 84	WF-3684-AH	171

Hardboard over Steel Top

- 1/4" hardboard over 12 gauge steel
- Top height: 28-1/4" - 42-1/4"

D x W	Model No.	Wt.
36 x 72	WFH-3672-AH	167
36 x 84	WFH-3684-AH	192

Butcher Block Top

- 1-3/4" thick butcher block
- Top height: 29-3/4" - 43-3/4"

D x W	Model No.	Wt.
30 x 72	WFJ-3072-AH	147



Legs Folded

Continuous Width Production Tables

3000 lbs. Capacity

Ideal for assembly lines. No stringer means working from both sides!

- 12 gauge steel tops
- Available in 30" or 36" depths
- Features reinforced understructure and strengthening gussets
- Tops come in 4, 5, and 6 ft. widths
- Legs and gussets bolt to table-tops
- Hardware included

Starter Kit Includes:

- (1) Table top, (2) leg sets, and (4) gussets

Add-On Kit:

- (1) Table top, (1) leg set, and (4) gussets



WSE-Starter



WSE-Add-on

STARTER KIT				ADD-ON KIT			
<i>includes (1) table top, (2) leg sets, and (4) gussets</i>				<i>includes (1) table top (1) leg set, and (4) gussets</i>			
Depth	Width	Model No.	Wt.	Depth	Width	Model No.	Wt.
30"	4 ft.	WSE3048-STARTER	126	30"	4 ft.	WSE3048-ADDON	126
	5 ft.	WSE3060-STARTER	138		5 ft.	WSE3060-ADDON	138
	6 ft.	WSE3072-STARTER	153		6 ft.	WSE3072-ADDON	153
36"	4 ft.	WSE3648-STARTER	140	36"	4 ft.	WSE3648-ADDON	140
	5 ft.	WSE3660-STARTER	154		5 ft.	WSE3660-ADDON	154
	6 ft.	WSE3672-STARTER	170		6 ft.	WSE3672-ADDON	170



Heavy-Duty Workbenches

- Extra strong, 7 gauge reinforced steel top
- Comfort edges
- Heavy 2" x 2" angle legs are 1/4" thick
- 7 gauge gussets
- 12 gauge lower shelf has 500 lbs. capacity
- All-welded construction

Stationary Models

up to 10,000 lbs. Capacity

- Stationary models have footpads with 5/8" diameter anchor holes

Size D x W	Fixed Height - 34"H 25" Clearance		Adjustable Height - 30" - 38"H 18-3/4" Clearance	
	Model No.	Wt.	Model No.	Wt.
30 x 36	WW-3036	151	WW-3036-AH	176
30 x 48	WW-3048	187	WW-3048-AH	212
30 x 60	WW-3060	220	WW-3060-AH	245
30 x 72	WW-3072	263	WW-3072-AH	288
36 x 60	WW-3660	250	WW-3660-AH	275
36 x 72	WW-3672	287	WW-3672-AH	312
42 x 84	WW-4284	421	WW-4284-AH	446



**Model
WW-3672-HD**
Shown with heavy-duty drawer



**Model
WW-3072-ADJ**

Mobile Models

up to 5000 lbs. Capacity

- Two swivel and two rigid 8" phenolic casters
- Floor lock to stop unwanted movement
- Available in a fixed or adjustable height version
 - Fixed height - 36" top height
 - Adjustable height - adjusts from 30" - 38" on 1"

Size D x W	Fixed Height - 36"H 22" Clearance		Adjustable Height - 30" - 38"H	
	Model No.	Wt.	Model No.	Wt.
30 x 36	WW-3036-8PHFL	201	WW3036-8PHFL-AH	228
30 x 48	WW-3048-8PHFL	238	WW3048-8PHFL-AH	265
30 x 60	WW-3060-8PHFL	270	WW3060-8PHFL-AH	297
30 x 72	WW-3072-8PHFL	296	WW3072-8PHFL-AH	323
36 x 60	WW-3660-8PHFL	304	WW3660-8PHFL-AH	331
36 x 72	WW-3672-8PHFL	341	WW3672-8PHFL-AH	368
42 x 84	WW-4284-8PHFL	478	WW4284-8PHFL-AH	505



**Model
WW-3672-6PHFL**



Floor lock between swivel casters stops unwanted movement.

For 6" Phenolic Casters & Floor Lock, use wheel code: **-6PHFL** (3,600 lbs. Capacity, 34" H)

Extra-Heavy-Duty Welded Steel Workbench


15,000 lbs. Capacity

- Extra strong, 7 gauge reinforced steel top
- Top reinforced with 3" x 1-1/2" structural C channel
- Legs constructed with 3" C channel
- 12 gauge lower shelf has 500 lbs. capacity
- Lower shelf measures: 22" deep on 36" models, 28" deep on 42" models
- Footpads with 5/8" diameter anchor holes
- Clearance below lower shelf: 5-1/2" to allow fork access
- Top height: 34"

D x W x H	Capacity	Model No.	Wt.
36 x 60 x 34	15,000	WX-3660-34	348
36 x 72 x 34	15,000	WX-3672-34	396
42 x 84 x 34	15,000	WX-4284-34	532



**Model
WX-4284-34**



Underside supporting frame



Model
WWC-3672

Heavy-Duty Cabinet Workbench

10,000 lbs. Capacity

- Extra strong, 7 gauge reinforced steel top
- Comfort edges
- Top height: 34"
- Heavy 2" x 2" angle Legs are 1/4" thick
- 12 gauge cabinet construction
- Keyed locking handle and three-point locking mechanism
- Also available with heavy-duty drawer
- Drawer measures 26"W x 20"D x 6"H and has heavy-duty rollers, padlock hasp and full-width recessed handle.
- Clearance under drawers: 16"



Model
WWC-3672-2HD

Top D x W	Cabinet Inside D x W	Cabinet Only		Cabinet with 1 Drawer Centered		Cabinet with 2 Drawers Centered		Cabinet with Center Shelf	
		Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
30 x 48	25 x 43	WWC-3048	318	WWC-3048-HD	357	-	-	WWC2-3048	349
30 x 60	25 x 55	WWC-3060	371	WWC-3060-HD	410	-	-	WWC2-3060	411
30 x 72	25 x 67	WWC-3072	430	WWC-3072-HD	469	WWC-3072-2HD	508	WWC2-3072	479
36 x 72	31 x 67	WWC-3672	476	WWC-3672-HD	515	WWC-3672-2HD	554	WWC2-3672	537

Mobile Heavy-Duty Cabinet Workbench

3600 lbs. Capacity

- Top height: 37-1/2"H
- Extra strong, 7 gauge reinforced steel top
- Heavy 2" x 2" angle Legs are 1/4" thick
- 12 gauge cabinet construction
- Keyed locking handle and three-point locking mechanism
- Also available with heavy-duty drawer
- Drawer measures 26"W x 20"D x 6"H and has heavy-duty rollers, padlock hasp and full-width recessed handle
- Clearance under drawers: 16"
- Two rigid and two swivel 6" phenolic casters
- Floor lock to stop unwanted movement



Model
WWC36722HD6PHFL



Includes
Floor Lock

Top D x W	Cabinet Inside D x W	Cabinet Only		Cabinet with 1 Drawer Centered		Cabinet with 2 Drawers Centered		Cabinet with Center Shelf	
		Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
30 x 48	25 x 43	WWC-3048-6PHFL	362	WWC3048-HD6PHFL	401	-	-	WWC2-3048-6PHFL	393
30 x 60	25 x 55	WWC-3060-6PHFL	415	WWC3060-HD6PHFL	454	-	-	WWC2-3060-6PHFL	455
30 x 72	25 x 67	WWC-3072-6PHFL	474	WWC3072-HD6PHFL	513	WWC30722HD6PHFL	552	WWC2-3072-6PHFL	523
36 x 72	31 x 67	WWC-3672-6PHFL	533	WWC3672-HD6PHFL	572	WWC36722HD6PHFL	611	WWC2-3672-6PHFL	594

All-Welded Cabinet Workbench

3600 lbs. Capacity

- 12 gauge construction
- Keyed locking handle and three-point locking mechanism
- Doors swing open 180 degrees



Model
WSTC2-2448

Top D x W x H	No Center Shelf		Center Shelf	
	Model No.	Wt.	Model No.	Wt.
24 x 48 x 36	WSTC-2448	220	WSTC2-2448	262
30 x 48 x 36	WSTC-3048	248	WSTC2-3048	299
30 x 60 x 36	WSTC-3060	293	WSTC2-3060	356
30 x 72 x 36	WSTC-3072	337	WSTC2-3072	411