



Wearwell has a variety of products that deliver optimum support and address contamination concerns such as particulation, outgassing, and the spread of bacteria.

Your facility shares the concerns of healthcare and lab environments if

- · Areas are typically sterile and have like aesthetics
- Transition areas are crucial points for contamination control
- Team members need standing relief for long or multiple shifts

REJUVENATOR®

Rejuvenator® provides optimum performance in the field of labs and pharmacies. Not only does it have a clean consistant aesthetic, it also meets the USP 797 compliance standards for non-viable particulates.




Rejuvenator® flooring, runners, and workstation mats help your team stand stronger, longer. Whether you need to cover an entire lab, a multi-shift pharmacy, or just a single workstation, Rejuvenator® delivers the ultimate combination of durability, ergonomics, and awesome good looks!


Manufactured entirely from urethane, this perennial all-star features an unparalleled ten-year resilience warranty. Simply put, we've engineered Rejuvenator® to outlast and outperform any would-be rivals. Rejuvenator® has quickly become the ergonomic floor surface of choice for top-performing companies worldwide.

| UNIVERSAL REJUVENATOR® EDGING | | | | | |
|-------------------------------|----------|-----------|--------|--|--|
| ITEM NUMBER | SIZE | THICKNESS | COLOR | | |
| 502.58x2x39F | 2" x 39" | 5/8" | BK, YL | | |
| 502.58x2x39M | 2" x 39" | 5/8" | BK, YL | | |

F: Female connector M: Male connector All Rejuvenator® edging is universal to all Rejuvenator® tiles



502/503













| ITEM NUMBER | SIZE | THICKNESS | COLOR | | |
|------------------------|------------|----------------|-------|--|--|
| | 502 Rejuve | nator® Squared | | | |
| 502.58x1x3BK | 1' x 3' | 5/8" | ВК | | |
| 502.58x3x3BK | 3' x 3' | 5/8" | ВК | | |
| 503 Rejuvenator® Domed | | | | | |
| 503.58x1x3BK | 1' x 3' | 5/8" | ВК | | |
| 503.58x3x3BK | 3' x 3' | 5/8" | ВК | | |





SPECIFICATIONS Compound: Polyurethane Edges: Optional 2"-Wide Safety Edging Warranty: 10-Year Resilience



502/503











Rejuvenator® Runners give you the option to create 2'- and 3'-wide runs of ergonomic matting. With a female end and a male end, all that's left is to connect as many centers as you need for your space. The molded-in ramps reduce installation time and costs.

| | ITEM NUMBER | SIZE | THICKNESS | COLOR |
|---------------------------------------|----------------|---------|-----------|-------|
| ₽ | 502.58x2x5CBK | 2' x 5' | 5/8" | ВК |
| Squared | 502.58x2x5EFBK | 2' x 5' | 5/8" | ВК |
| ⊘ @ | 502.58x2x5EMBK | 2' x 5' | 5/8" | ВК |
| 50 inator | 502.58x3x5CBK | 3' x 5' | 5/8" | ВК |
| 50 Rejuvenato | 502.58x3x5EFBK | 3' x 5' | 5/8" | ВК |
| <u>~</u> | 502.58x3x5EMBK | 3' x 5' | 5/8" | ВК |
| 503 Rejuvenator [®] Domed | 503.58x2x5CBK | 2' x 5' | 5/8" | ВК |
| | 503.58x2x5EFBK | 2' x 5' | 5/8" | ВК |
| | 503.58x2x5EMBK | 2' x 5' | 5/8" | ВК |
| | 503.58x3x5CBK | 3' x 5' | 5/8" | ВК |
| Rejuve | 503.58x3x5EFBK | 3' x 5' | 5/8" | ВК |
| œ | 503.58x3x5EMBK | 3' x 5' | 5/8" | ВК |





SPECIFICATIONS

Compound: Polyurethane Edges: Molded-in Safety Bevel Warranty: 10-Year Resilience

502/503


Workstation Mat



C: Center

EF: End. Female EM: End, Male









| | ITEM NUMBER | SIZE | THICKNESS | COLOR |
|----------------------|--------------|---------|-----------|-------|
| g d g | 502.58x2x3BK | 2' x 3' | 5/8" | ВК |
| 502 wena quare | 502.58x2x5BK | 2' x 5' | 5/8" | ВК |
| Reju | 502.58x3x5BK | 3' x 5' | 5/8" | ВК |
| tor® | 503.58x2x3BK | 2' x 3' | 5/8" | ВК |
| 503 vena ome | 503.58x2x5BK | 2' x 5' | 5/8" | ВК |
| Reju | 503.58x3x5BK | 3' x 5' | 5/8" | ВК |



SPECIFICATIONS Compound: Polyurethane Edges: Molded-in Safety Bevel Warranty: 10-Year Resilience

TILE-TOP™

Across laboratories, pharmacies, and medical environments, Tile-Top™ ergonomic matting is an MVP. Its smooth surface cleans easily and it provides workers with standing relief. US REG. NO: 3,739,714

| Rating Compound | GOOD SMART® | BETTER Flex-Link TM | Nitricell® |
|--------------------|--|--|---|
| Products | 496 | 494 | 419, 420 |
| Description | Made from 100% recycled urethane sponge, SMART® is a durable matting base that combines comfort, ecology, and economy. Best suited for dry areas, this green material is a Wearwell exclusive. | Flex-Link™ is a PVC sponge comparable to those used by our competitors, at a similar price point. The difference is our pre-beveled Flex-Link™ base, which offers a larger usable ergonomic area, reduces trip hazards, and keeps our mats from sliding. | Anti-microbial (AM) top to bottom. The AM nitrile rubber composite sponge offers maximum comfort and resilience, while the AM surface delivers additional abrasion and chemical resistance. |
| Resilence | Good rebound, proven for use in many commercial applications as a flooring-system underlayment. | Good resilience, good recovery. | Best in its class, It continues to bounce back and provides long-term employee satisfaction. |
| Standing Area | Extends to within 2" of each edge. | Extends to within 2" of each edge | Extends to within 1" of the edge of the mat, providing more standing room. |
| EDGES | Not Beveled | Rounded Corners (stock SKUs only) | Built-In Trip-Prevention Bevel (standard sizes only) |
| Application | D [c1 | D c1 | D (+) |
| Industry | | | |
| Colors | | | |



| | 1/2" THICK ITEM NUMBERS | 7/8" THICK ITEM NUMBERS | SIZE | COLOR |
|-------------------------|-------------------------|---------------------------|-----------|--------------------------------|
| 444 | | 496 SMART® Til | е-Тор™ | |
| | 496.12x2x3 | 496.78x2x3 | 2' x 3' | BK, BL, CH, GY |
| G005 | 496.12x2x60 | 496.78x2x60 | 2' x 60' | BK, BL, CH, GY |
| 0 | 496.12x3x5 | 496.78x3x5 | 3' x 5' | BK, BL, CH, GY |
| ය | 496.12x3x60 | 496.78x3x60 | 3' x 60' | BK, BL, CH, GY |
| 10 | 496.12x4x60 | 496.78x4x60 | 4' x 60' | BK, BL, CH, GY |
| | | 494 Tile-Top™ | Select | |
| ~ | 494.12x2x3 | 494.78x2x3 | 2' x 3' | BL, BWH, CH, GY |
| " | 494.12x2x60 | 494.78x2x60 | 2' x 60' | BL, BWH, CH, GY |
| | 494.12x3x5 | 494.78x3x5 | 3' x 5' | BL, BWH, CH, GY |
| m | 494.12x3x60 | 494.78x3x60 | 3' x 60' | BL, BWH, CH, GY |
| | 494.12x4x60 | 494.78x4x60 | 4' x 60' | BL, BWH, CH, GY |
| | ITEM NUMBER | SIZE | THICKNESS | COLOR |
| 72 | | 419 UltraSoft Tile | -Тор™ АМ | |
| 100 | 419.78x2x3AM | 2' x 3' | 7/8" | BK, BL, CH, GY |
| | 419.78x2x60AM | 2' x 60' | 7/8" | BK, BL, CH, GY |
| - | 419.78x3x10AM | 3' x 10' | 7/8" | BK, BL, CH, GY |
| | 419.78x3x5AM | 3' x 5' | 7/8" | BK, BL, CH, GY |
| | 419.78x3x60AM | 3' x 60' | 7/8" | BK, BL, CH, GY |
| | 419.78x4x60AM | 4' x 60' | 7/8" | BK, BL, CH, GY |
| $\overline{\mathbf{m}}$ | | 420 Tile-Top ¹ | M AM | |
| | 420.12x2x3AM | 2' x 3' | 1/2" | BK, BL, BN, CH, GY, SA, TN, WH |
| | 420.12x2x60AM | 2' x 60' | 1/2" | BK, BL, BN, CH, GY, SA, TN, WH |
| | 420.12x3x10AM | 3' x 10' | 1/2" | BK, BL, BN, CH, GY, SA, TN, WH |
| 182 | 420.12x3x5AM | 3' x 5' | 1/2" | BK, BL, BN, CH, GY, SA, TN, WH |
| | 420.12x3x60AM | 3' x 60' | 1/2" | BK, BL, BN, CH, GY, SA, TN, WH |
| 5 . 77 | 420.12x4x60AM | 4' x 60' | 1/2" | BK, BL, BN, CH, GY |

092

PermaTack





PermaTack is designed for labs, clean rooms, and pharmacies that need serious long-term contamination control. The unique "tacky" surface removes up to 98% of contaminants from shoes. Just clean the surface and the mat's "tackiness" returns.



| ITEM NUMBER | SIZE | THICKNESS | COLOR |
|----------------|-----------|-----------|-------|
| 092.18x27x10BL | 27" x 10" | 1/8" | BL |
| 092.18x27x20BL | 27" x 20" | 1/8" | BL |
| 092.18x27x48BL | 27" x 48" | 1/8" | BL |
| 092.18x27x72BL | 27" x 72" | 1/8" | BL |
| 092.18x36x54BL | 36" x 54" | 1/8" | BL |
| 092.18x54x10BL | 54" x 10" | 1/8" | BL |
| 092.18x54x20BL | 54" x 20" | 1/8" | BL |

SPECIFICATIONS

Compound: Vinyl Polymer Edges: Square Warranty: 2 Years



095

Clean Room Mat



Clean Room Mats are the easy solution for common contamination-control issues. They are comprised of stacks of "tacky" film sheets that collect dirt and debris from shoes. Just peel away a full sheet to expose a new one.



| ITEM NUMBER | SIZE | SHEETS PER MAT | COLOR |
|------------------|-----------|------------------|--------|
| 095.18x36 | 18" x 36" | 30, 60 (WH only) | BL, WH |
| 095.18x36WH-CS60 | 18" x 36" | 30, 60 (WH only) | WH |
| 095.18x45 | 18" x 45" | 30, 60 (WH only) | BL, WH |
| 095.18x45WH-CS60 | 18" x 45" | 30, 60 (WH only) | WH |
| 095.24x45 | 24" x 45" | 30, 60 (WH only) | BL, WH |
| 095.24x45WH-CS60 | 24" x 45" | 30, 60 (WH only) | WH |
| 095.2x3 | 2' x 3' | 30 | BL, WH |
| 095.36x45 | 36" x 45" | 30 | BL, WH |
| 095.3x5 | 3' x 5' | 30 | BL, WH |

SPECIFICATIONS

Compound: Polyethylene Edges: Square



580

Autoclavable Mat



Autoclavable Mat is the standing product of choice for sterile environments such as hospital ORs, surgery centers, and laboratories. The flexible and resilient latexfree non-porous rubber surface is 100% anti-microbial and provides workers with relief during long shifts and periods of extended standing.





SPECIFICATIONS

Compound: NBR: Nitrile Rubber

Edges: Beveled Warranty: 1 Year